

India lymphatic filariasis survey data

Mapped references: lymphatic filariasis survey data

- IND0001LF** Swaminathan S, Perumal V, Adinarayanan S, Kaliannagounder K, Rengachari R, Purushothaman J (2012) Epidemiological assessment of eight rounds of mass drug administration for lymphatic filariasis in India: implications for monitoring and evaluation. *PLoS Negl Trop Dis*, **6**:e1926-e1926.
- IND0002LF** Ramaiah KD, Vanamail P, Yuvaraj J, Das PK (2011) Effect of annual mass administration of diethylcarbamazine and albendazole on bancroftian filariasis in five villages in south India. *Trans R Soc Trop Med Hyg*, **105**:431-437.
- IND0003LF** Foo PK, Tarozzic A, Mahajan A, Yoong J, Krishnan L, Kopf D, Blackburn BJ (2011) High prevalence of *Wuchereria bancrofti* infection as detected by immunochromatographic card testing in five districts of Orissa, India, previously considered to be non-endemic. *Trans R Soc Trop Med Hyg*, **105**:109-114.
- IND0004LF** Mandal NN, Bal MS, Das MK, Achary KG, Kar SK (2010) Lymphatic filariasis in children: age dependent prevalence in an area of India endemic for *Wuchereria bancrofti* infection. *Tropical biomedicine*, **27**:41-46.
- IND0005LF** Singh S, Bora D, Lal S (2010) Lymphatic filariasis in East District, Sikkim. *Journal of Communicable Diseases*, **42**:33-37.
- IND0006LF** Singh S, Thomas TG (2011) Declining trend of lymphatic filariasis from rural areas of Koraput district of Odisha State. *Journal of Communicable Diseases*, **43**:277-279.
- IND0007LF** Sukhvir S, Bora D, Dhariwal aC, Pawan D, Shiv L (2008) Epidemiological, clinical and entomological observations on lymphatic filariasis in urban Puri, Orissa. *J Commun Dis*, **40**:161-165.
- IND0008LF** Chand G, Barde PV, Singh N (2013) Emergence of new foci of filariasis in Madhya Pradesh, India. *Trans R Soc Trop Med Hyg*, **107**:462-464.

- IND0009LF** Mukhopadhyay aK, Patnaik SK (2007) Effect of mass drug administration programme on microfilaria carriers in East Godavari district of Andhra Pradesh. *J Vector Borne Dis*, **44**:277-280.
- IND0010LF** Chandra G, Chatterjee SN, Das S, Sarkar N (2007) Lymphatic filariasis in the coastal areas of Digha, West Bengal, India. *Trop Doct*, **37**:136-139.
- IND0011LF** Shriram aN, Murhekar MV, Ramaiah KD, Sehgal SC (2002) Prevalence of diurnally subperiodic bancroftian filariasis among the Nicobarese in Andaman and Nicobar Islands, India: effect of age and gender. *Trop Med Int Health*, **7**:949-954.
- IND0012LF** Mukhopadhyay aK, Patnaik SK, Babu PS (2007) Status of lymphatic filariasis in parts of east Godavari district of Andhra Pradesh, India. *J Vector Borne Dis*, **44**:72-74.
- IND0013LF** Ramaiah KD, Das PK, Vanamail P, Pani SP (2007) Impact of 10 years of diethylcarbamazine and ivermectin mass administration on infection and transmission of lymphatic filariasis. *Trans R Soc Trop Med Hyg*, **101**:555-563.
- IND0014LF** Singh S, Bora D, Dhariwal aC, Singh R, Lal S (2006) Lymphatic filariasis in rural areas of Patna District, Bihar. A challenge ahead. *J Commun Dis*, **38**:160-163.
- IND0015LF** Shenoy RK, Suma TK, Kumaraswami V, Rahmah N, Dhananjayan G, Padma S, Abhilash G, Ramesh C (2007) Preliminary findings from a cross-sectional study on lymphatic filariasis in children, in an area of India endemic for *Brugia malayi* infection. *Ann Trop Med Parasitol*, **101**:205-213.
- IND0016LF** Medhi GK, Hazarika NC, Shah B, Mahanta J (2006) Study of health problems and nutritional status of tea garden population of Assam. *Indian Journal of Medical ...*, **60**:4-9.
- IND0017LF** Sabesan S, Raju HKK, Srividya A, Das PK (2006) Delimitation of lymphatic filariasis transmission risk areas: a geo-environmental approach. *Filaria J*, **5**:12-12.
- IND0018LF** Ramaiah KD, Vanamail P, Das PK (2007) Changes in *Wuchereria bancrofti* infection in a highly endemic community following 10 rounds of mass administration of diethylcarbamazine. *Trans R Soc Trop Med Hyg*, **101**:250-255.
- IND0019LF** Singh S, Raina VK, Bora D, Dhariwal AC, Lal S (2005) Lymphatic filariasis in Bilaspur district, Chhattisgarh. *J Commun Dis*, **37**:125-130.

- IND0020LF** Chhotray GP, Ranjit MR, Khuntia HK, Acharya aS (2005) Precontrol observations on lymphatic filariasis & geo-helminthiases in two coastal districts of rural Orissa. *Indian J Med Res*, **122**:388-394.
- IND0021LF** Das D, Kumar S, Sahoo PK, Dash AP (2005) A survey of bancroftian filariasis for microfilariae & circulating antigenaemia in two villages of Madhya Pradesh. *Indian J Med Res* **121**:771-775.
- IND0022LF** Dash AP, Mahapatra N, Hazra RK, Acharya AS (1998) Transmission dynamics of filariasis in Khurdha district of Orissa, India. *Southeast Asian J Trop Med Public Health*, **29**:137-140.
- IND0023LF** Murty US, Praveen B, Kumar DVR, Sriram K (2004) A baseline study of rural Bancroftian filariasis in southern India. *Southeast Asian J Trop Med Public Health*, **35**:583-586.
- IND0024LF** Ramaiah KD, Vanamail P, Pani SP, Yuvaraj J, Das PK (2002) The effect of six rounds of single dose mass treatment with diethylcarbamazine or ivermectin on *Wuchereria bancrofti* infection and its implications for lymphatic filariasis elimination. *Trop Med Int Health*, **7**:767-774.
- IND0025LF** Ravindran B, Sahoo PK, Dash aP (1998) Lymphatic filariasis and malaria: concomitant parasitism in Orissa, India. *Trans R Soc Trop Med Hyg*, **92**:21-23.
- IND0026LF** Mukhopadhyay aK (2010) Lymphatic filariasis in Andhra Pradesh Paper Mill Colony, Rajahmundry, India after nine rounds of MDA programme. *J Vector Borne Dis*, **47**:55-57.
- IND0027LF** Das VNR, Siddiqui Na, Kumar N, Verma N, Verma RB, Dinesh DS, Kar SK, Das P (2006) A pilot study on the status of lymphatic filariasis in a rural community of Bihar. *J Commun Dis*, **38**:169-175.
- IND0028LF** Beuria MK, Bal MS, Mandal NN, Das MK (2003) Age-dependent prevalence of asymptomatic amicrofilaraemic individuals in a *Wuchereria bancrofti*-endemic region of India. *Trans R Soc Trop Med Hyg*, **97**:297-298.
- IND0029LF** Sunish IP, Rajendran R, Satyanarayana K, Munirathinam A, Gajanana A (2001) Immunochromatographic test (ICT) for estimation of true prevalence of bancroftian filariasis in an endemic area in southern India. *Trans R Soc Trop Med Hyg*, **95**:607-609.
- IND0030LF** Sahoo PK, Geddam JJ, Satapathy AK, Mohanty MC, Ravindran B (2000) Bancroftian filariasis: prevalence of antigenaemia and endemic normals in Orissa, India. *Trans R Soc Trop Med Hyg*, **94**:515-517.

- IND0031LF** Dixit V, Kurup AV, Gupta AK (1997) Bancroftian filariasis in south east Madhya Pradesh: Pre-control epidemiological observations. *Indian Journal of Clinical ...*, **12**:39-43.
- IND0032LF** Ramaiah KD, Ramu K, Kumar KN, Guyatt H (1996) Epidemiology of acute filarial episodes caused by *Wuchereria bancrofti* infection in two rural villages in Tamil Nadu, south India. *Transactions of the Royal ...*, **90**:639-643.
- IND0033LF** Arunachalam N, Mariappan T, Vijayakumar KN, Sabesan S, Panicker KN (1996) Mattancherry urban agglomeration, a diminishing focus of lymphatic filariasis in Kerala. *J Commun Dis*, **28**:168-170.
- IND0034LF** Surendran K, Pani SP, Soudarssanane MB, Srinivasa DK, Bordolai PC, Subramanian S (1996) Natural history, trend of prevalence and spectrum of manifestations of Bancroftian filarial disease in Pondicherry (South India). *Acta Trop*, **61**:9-18.
- IND0035LF** Kar SK, Mania J, Kar PK (1993) Prevalence of lymphatic nodule in a bancroftian endemic population. *Acta Trop*, **55**:53-60.
- IND0036LF** Ramaiah KD, Vanamail P (2013) Surveillance of lymphatic filariasis after stopping ten years of mass drug administration in rural communities in south India. *Transactions of The Royal ...*, **107**:293-300.
- IND0038LF** Rajagopalan PK, Das PK, Subramanian S, Vanamail P, Ramaiah KD (1989) Bancroftian filariasis in Pondicherry, south India: 1. Pre-control epidemiological observations. *Epidemiol Infect*, **103**:685-692.
- IND0039LF** Subramanian S, Pani SP, Das PK, Rajagopalan PK (1989) Bancroftian filariasis in Pondicherry, south India: 2. Epidemiological evaluation of the effect of vector control. *Epidemiol Infect*, **103**:693-702.
- IND0040LF** Jr TJD, Bhattacharya NC (1976) Clinical manifestations of Bancroftian filariasis in a suburb of Calcutta, India. *Am J Trop Med Hyg*, **25**:64-73.
- IND0041LF** Babu BV, Acharya AS, Mallick G, Jangid PK (2001) Lymphatic filariasis in Khurda district of Orissa, India: an epidemiological study. *Southeast Asian J Trop Med Public Health*, **32**:240-243.
- IND0042LF** Raghavan NGS (1957) Epidemiology of filariasis in India. *Bull World Health Organ*, **16**:553-579.
- IND0043LF** Health IMo (2004) Programme to Eliminate Lymphatic Filariasis. Country Report WHO. India Ministry of Health.

- IND0044LF** Upadhyayula SM, Mutheneni SR, Kumaraswamy S, Kadiri MR, Pabbisetty SK, Yellepeddi VS (2012) Filariasis monitoring visualization system: a geographical information system-based application to manage lymphatic filariasis in Andhra Pradesh, India. *Vector Borne Zoonotic Dis*, **12**:418-427.
- IND0045LF** Pani SP, Balakrishnan N, Srividya A, Bundy DA, Grenfell BT (1991) Clinical epidemiology of bancroftian filariasis: effect of age and gender. *Trans R Soc Trop Med Hyg*, **85**:260-264.
- IND0046LF** Tewari SC, Hiriyan J, Reuben R (1995) Epidemiology of subperiodic *Wuchereria bancrofti* infection in the Nicobar Islands, India. *Trans R Soc Trop Med Hyg*, **89**:163-166.
- IND0047LF** Sarma RV, Vallishayee RS, Mayurnath S, Narayanan PR, Radhamani MP, Tripathy SP (1987) Prevalence survey of filariasis in two villages in Chingleput district of Tamil Nadu. *Indian J Med Res*, **85**:522-530.
- IND0048LF** Shriram AN, Sugunan AP, Murhekar MV, Sehgal SC (1996) Little Andaman Island, a new focus of infection with nocturnally periodic *Wuchereria bancrofti*. *Indian J Med Res*, **104**:166-170.
- IND0049LF** Adhikari P, Haldar JP (1995) Prevalence of bancroftian filariasis in Burdwan district, West Bengal: II. Vector and microfilariae density in colliery and non-colliery areas. *J Commun Dis*, **27**:181-185.
- IND0050LF** Chand G, Pandey GD, Tiwary RS (1996) Prevalence of *Wuchereria bancrofti* infection among the tribals of Panna district of Madhya Pradesh. *J Commun Dis*, **28**:304-307.
- IND0051LF** Kumar A, Sachan P (2014) Measuring impact on filarial infection status in a community study: role of coverage of mass drug administration (MDA). *Trop Biomed*, **31**:225-229.
- IND0052LF** Kar SK, Dwibedi B, Kerketa AS, Maharana A, Panda SS, Mohanty PC, Horton J, Ramachandran CP (2015) A Randomized Controlled Trial of Increased Dose and Frequency of Albendazole with Standard Dose DEC for Treatment of *Wuchereria bancrofti* Microfilaremic in Odisha, India. *PLoS Negl Trop Dis*, **9**:e0003583.
- IND0053LF** Kalimuthu M, Sunish IP, Nagaraj J, Munirathinam A, Kumar VA, Arunachalam N, White GB, Tyagi BK (2015) Residual microfilaraemia in rural pockets of South India after five rounds of DEC plus albendazole administration as part of the LF elimination campaign. *J Vector Borne Dis*, **52**:182-184.